

SurPure[™] Essence

Special Features:

- Features wet donning ability and straight fingers design. Easy to don either with dry or damp hands.
- Formed by the patented ergonomic hand molds helps eliminate hand fatigue during operation.
- Smooth surface in finger area offers a more natural tactile sensitivity.
- Powder-free feature reduces the occurrence of allergy issues.
- High flexibility & tenacity.
- Penetration of Phi-X174 Bacteriophage tested with ASTM F 1671.
- In conformity with regulation EU 2016-425 PPE Module B



Product Specification Ref. 1618

Product Description	Wet Donning Latex Surgice size embossed, sterile.	al Gloves, powdei	<i>-free,</i> smooth surfa	ce, straight fing	ers, beaded cuff,
Size		5.5 6.0	6.5 7.0 7.5	8.0 8	3.5 9.0
Palm Width	mm	70±6 76±6	83±6 89±6 95±	6 102±6 108	3±6 114±6
Overall	mm	285 ± 10			
Length	inch	11.22 ± 0.4			
Single Wall Thickness		Finger	Palm	Cuff	
	mm	0.21 ± 0.03	0.20 ± 0.02	0.17 ± 0.01	
	mil	8.27 ± 1.18	7.87 ± 0.79	6.69 ± 0.39	
Physical Property	Туре	Before Aging		After Aging	
		Standard	MocareHealth	Standard	MocareHealth
	Force at break (N)	9	16	9	15
	Tensile strength (Mpa)	24 ()	2.5		21
Property	rensile strength (wipa)	24 (min)	26	18 (min)	21
Property	Ultimate elongation (%)	24 (min) 750	26 830	18 (min) 560	800
Property		, ,			
Property Sterilization	Ultimate elongation (%) Stress at 500%	750 5.5 (max)	830		800
. ,	Ultimate elongation (%) Stress at 500% elongation (Mpa)	750 5.5 (max) n 1, ASTM D 3577, 2	830 4.7	560 -	-

Mocare Health offers 2 different thickness settings on this specific model to meet users' diverse expectations. 0.15/0.17mm (cuff thickness) are available.

Mocare Health Co., Ltd.

Tel: 886-4-8762747 Website: http://www.mocarehealth.com Fax: 886-4-8762749 E-mail: service@mocarehealth.com

Office: No.216, Laonong Rd., Tianzhong Township, Changhua County, 52046, Taiwan (R.O.C.)









